

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 12-9473: Anti-CXCL1 antibody(DMC499); IgG1 Chimeric mAb

Clonality: Monoclonal
Clone Name: DMC499
Application: FACS
Reactivity: Human
Uniprot ID: P09341

Alternative Name: FSP; GRO1; GROa; MGSA; MGSA-a; NAP-3; SCYB1

**Isotype:** Rabbit/Human Fc chimeric IgG1

## **Description**

Description: Anti-CXCL1 antibody(DMC499); IgG1 Chimeric mAb

This antimicrobial gene encodes a member of the CXC subfamily of chemokines. The encoded protein is a secreted growth factor that signals through the G-protein coupled receptor; CXC receptor 2. This protein plays a role in inflammation and as a chemoattractant for neutrophils. Aberrant expression of this protein is associated with the growth and progression of certain tumors. A naturally occurring processed form of this protein has increased chemotactic activity. Alternate splicing results in coding and non-coding variants of this gene. A pseudogene of this gene is found on chromosome 4. [provided by RefSeq; Sep 2014]

## **Product Info**

**Amount :**  $10 \mu g / 100 \mu g$ 

**Purification:** Purified from cell culture supernatant by affinity chromatography

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended

**Storage condition:** for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

## **Application Note**

FACS 1:100




Figure 1. Flow cytometry analysis with Anti-CXCL1 (DMC499) on Expi293 cells transfected with human CXCL1 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram), and Isotype antibody on Expi293 transfected with irrelevant protein (Orange histogram).