

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 30-2629-AC: Anti-Human CD187 Antibody (Clone: 10D1-J16) APC Conjugated

Clonality: Monoclonal
Clone Name: 10D1-J16
Application: FACS
Reactivity: Human
Conjugate: APC
Gene: ACKR3
Gene ID: 57007

Alternative Name: CXCR7, RDC1, GPR159, ACKR3, atypical chemokine receptor 3

**Isotype:** Mouse IgG2a kappa

## **Description**

CD187 (CXCR7) is a member of chemokine receptor family, but with discussed Specificity. It is expressed in various tissues and cells, such as placenta, urinary bladder, fetal liver cells, tumor cells, activated endothelium, monocytes, lymphocytes, mature dendritic cells, and other.

Specificity: The mouse monoclonal antibody 10D1-J16 recognizes an extracellular epitope on CD187/CXCR7, a transmembrane protein of chemokine receptor family.

## **Product Info**

Amount: 100 tests

**Purification :** Purified by protein-A affinity chromatography

**Content:** Formulation: Phosphate buffered saline (PBS) solution with 15 mM sodium azide

**Storage condition :** Store at 2-8°C. Do not freeze.

## **Application Note**

Flow Cytometry: The reagent is designed for analysis of human blood cells using 10  $\mu$ l reagent / 100  $\mu$ l of whole blood or 106 cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.




Figure 1 : Flow cytometry surface staining pattern of human peripheral whole blood stained using anti-human CD187 (10D1-J16) purified antibody (concentration in sample 1,7  $\mu$ g/ml, GAM APC).