

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-1074AC: APC conjugated Anti-CD70 Monoclonal Antibody (Clone:Ki-24)

Clonality: Monoclonal

Clone Name: Ki-24
Application: FACS
Reactivity: Human
Conjugate: FITC
Gene: CD70
Gene ID: 970
Uniprot ID: P32970

Alternative Name: CD70,CD27L,CD27LG,TNFSF7

Isotype: Mouse IgG3

Description

CD70, also known as TNFSF7 or CD27L, is a 50 kDa type II transmembrane glycoprotein of the TNF superfamily. It is expressed mainly on activated lymphocytes, including NK cells, and forms trimeric structure. CD70 plays a role in T-cell activation, proliferation and differentiation, in enhancing the generation of cytolytic T cells, and in long-term maintenance of T cell memory. It is also involved in B cell differentiation induced by activated plasmacytoid dendritic cells, which also express CD70.

Product Info

Amount: 100 tests

Content: Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide **Storage condition:** Store in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light.

Application Note

Flow cytometry: The reagent is designed for analysis of human blood cells using 10 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.

Flow cytometry: The reagent is designed for analysis of human blood cells using 10 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.