

## 12-9647: Anti-FCRL5 antibody(1A11), Rabbit mAb

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	1A11
<b>Application :</b>	IHC
<b>Reactivity :</b>	Human
<b>Gene :</b>	FCRL5
<b>Uniprot ID :</b>	Q96RD9
<b>Alternative Name :</b>	CD307; FCRH5; IRTA2; BXMAS1; CD307e; PRO820
<b>Isotype :</b>	Rabbit IgG

### Description

This gene encodes a member of the immunoglobulin receptor superfamily and the Fc-receptor like family. This gene and several other Fc receptor-like gene members are clustered on the long arm of chromosome 1. The encoded protein is a single-pass type I membrane protein and contains 8 immunoglobulin-like C2-type domains. This gene is implicated in B cell development and lymphomagenesis. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Sep 2010]

### Product Info

<b>Amount :</b>	10µg / 100 µg
<b>Purification :</b>	Purified from cell culture supernatant by affinity chromatography
<b>Content :</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage condition :</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

### Application Note

IHC 1:100




Figure 1.A. 12-9647 at 10µg/ml staining FCRL5 in MM.1S-FCRL5 cells by IHC (Cat# 12-9647);B. 12-9647 at 10µg/ml staining FCRL5 in human tonsil tissue by IHC (Cat# 12-9647)