

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 12-90416: Anti-IL13 antibody(1A1), IgG1 Chimeric mAb

Clonality: Monoclonal

Clone Name: 1A1
Application: ELISA
Reactivity: Human
Gene: IL13
Uniprot ID: P35225
Alternative Name: IL-13:NC30

**Isotype:** Rabbit/Human Fc chimeric IgG1

## **Description**

This gene encodes an immunoregulatory cytokine produced primarily by activated Th2 cells. This cytokine is involved in several stages of B-cell maturation and differentiation. It up-regulates CD23 and MHC class II expression, and promotes IgE isotype switching of B cells. This cytokine down-regulates macrophage activity, thereby inhibits the production of proinflammatory cytokines and chemokines. This cytokine is found to be critical to the pathogenesis of allergen-induced asthma but operates through mechanisms independent of IgE and eosinophils. This gene, IL3, IL5, IL4, and CSF2 form a cytokine gene cluster on chromosome 5q, with this gene particularly close to IL4. [provided by RefSeq, Jul 2008]

## **Product Info**

**Amount :**  $100 \mu g / 10 \mu g$ 

**Purification:** Purified from cell culture supernatant by affinity chromatography

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % ? 8% trehalose is added as protectants

 $before\ lyophilization.\ Please\ see\ Certificate\ of\ Analysis\ for\ specific\ instructions\ of\ reconstitution.$ 

Store at -20?C to -80?C for 12 months in lyophilized form. After reconstitution, if not intended

for use within a month, aliquot and store at -80?C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

## **Application Note**

Storage condition:

ELISA 1/5000-10000




Figure 1. ELISA plate pre-coated by 1 ?g/ml (100 ?l/well) Human IL13(35-146), hFc tagged protein can bind Rabbit anti-IL13 monoclonal antibody(clone: 1A1) in a linear range of 20-500 ng/ml.