

## 12-8413: Anti-Respiratory Syncytial Virus (RSV)

Clonality : Monoclonal

## Description

Specificity: Respiratory Syncytial Virus (Clone RSV-96217) is specific for the fusion protein of RSV Types A&B. This antibody is non-reactive with: Influenza A & B, Adenovirus, Para 1-3, Measles, Mumps

Background: Respiratory syncytial virus (RSV) is a common respiratory virus that infects the majority of children by two years old1, 2. While usually mild, RSV can be serious in infants and older adults and is the leading cause of bronchiolitis and pneumonia in children less than one year of age in the United States1. A related pneumovirus, human metapneumovirus (hMPV), also significantly contributes to hospitalizations resulting from lower respiratory tract infection2. Antibodies have been described that bind and neutralize both RSV and hMPV fusion (F) proteins. RSV F protein is a type I integral membrane protein that is synthesized as a 574 amino acid inactive precursor, assembled into a trimer, post-translationally modified, then cleaved to produce F1, F2, and intervening peptide pep273. Functional F protein has both pre- and post-fusion conformations. RSV F protein is highly conserved among RSV isolates from both A and B subgroups3 and is the primary target for antiviral drug development3 with several antigenic regions capable of introducing neutralizing antibodies2. RSV and hMPV F protein share ~36% sequence similarity.

## **Product Info**

Amount :	250 μg
Purification :	Purity :>90% monomer by analytical SEC and SDS-Page Preparation : This monoclonal antibody is purified using a multi-step process, including the use of protein A or G to ensure extremely low levels of leachable protein A or aggregates from ascites fluid or culture medium.
Content :	Concentration:100 ?g/ml Formulation: This monoclonal antibody is aseptically packaged and formulated in 0.01 M phosphate buffered saline, pH 7.2 and contains 0.1% sodium azide. Due to inherent biochemical properties of antibodies, certain products may be prone to precipitation over time. Precipitation may be removed by aseptic centrifugation and/or filtration.
Storage condition :	This product contains no stabilizing proteins and should be stored at 2-8°C until ready to use.

## **Application Note**

Neutralizes