

## 32-1262: GHBP Recombinant Protein

**Alternative Name :** GHR,GHBP,GH receptor,Somatotropin receptor.

### Description

Source : Escherichia Coli. Growth Hormone Binding Protein Human Recombinant produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 248 amino acids and having a molecular mass of 28107.01 Dalton. GHR is purified by proprietary chromatographic techniques. GHBP is a transmembrane receptor for growth hormone. Binding of growth hormone to the receptor leads to receptor dimerization and the activation of an intra- and intercellular signal transduction pathway leading to growth. A common alternate allele of this gene, called GHRd3, lacks exon three and has been well-characterized. Mutations in this gene have been associated with Laron syndrome, also known as the growth hormone insensitivity syndrome (GHIS), a disorder characterized by short stature. Other splice variants, including one encoding a soluble form of the protein (GHRtr), have been observed but have not been thoroughly characterized.

### Product Info

<b>Amount :</b>	20 µg
<b>Purification :</b>	Greater than 98.0% as determined by:(a) Analysis by SEC-HPLC.(b) Analysis by SDS-PAGE.
<b>Content :</b>	GHBP was lyophilized from a concentrated (1mg/ml) solution with 0.0045mM NaHCO <sub>3</sub> . Lyophilized Growth Hormone Binding Protein although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution GHBP should be stored at 4°C between 2-7 days and for future use below -18°C.For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Please prevent freeze-thaw cycles.
<b>Storage condition :</b>	
<b>Amino Acid :</b>	AFSGSEATAAILS RAPWSLQSVN PGLKTN S SKEPKFTKCRSPERETF SCHWTDEVH HGTKNLGPIQLFYTRRNTQEWTQE WKECPDYVSA GENSCYFNSSFTSIWIPYCIKLT SNGGTVDEKCF SVDEIVQDPPIALNWTLLNVSLTGI HADIQVRWEAPRNADIQK GWMVLEYELQYKEVNETKWK MMDPILTTSPVYSLKVDKEYE VRVRSKQRNSGNYGEFSEVLYV TLPQMSQFTCEEDFYF.

### Application Note

It is recommended to reconstitute the lyophilized Growth Hormone Binding Protein in sterile 18M $\Omega$ -cm H<sub>2</sub>O not less than 100 $\Omega$ µg/ml, which can then be further diluted to other aqueous solutions. GHBP is fully biologically active as evidenced by its ability of forming 2:1 complex with HGH.

