

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-1318: IFN a 2a HEK Recombinant Protein(Discontinued)

Alternative Name: Leukocyte interferon,B cell interferon,Type I interferon,IFNA2,IFN-a 2a.

## **Description**

Source: HEK. IFN-a 2a Human Recombinant produced in HEK cells is a glycosylated monomer, having a total molecular weight of 16kDa. The IFN-a 2a is purified by proprietary chromatographic techniques. IFN-alpha is produced by macrophages and has antiviral activities. Interferon stimulates the production of two enzymes: protein kinase and an oligoadenylate synthetase.

## **Product Info**

Amount: 10 μg

**Purification :** Greater than 95% as observeed by SDS-PAGE. **Content :** The IFN-a 2a was lyophilized from 1mg/ml in 1xPBS.

Lyophilized IFN-a 2a although stable at room temperature for 3 weeks, should be stored

**Storage condition :** desiccated below -18°C. Upon reconstitution IFN-a 2a should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein

(0.1% HSA or BSA).Please prevent freeze-thaw cycles.

## **Application Note**

It is recommended to reconstitute the lyophilized IFN-a 2a in sterile water not less than  $100\tilde{A} \square \hat{A} \mu g/ml$ , which can then be further diluted to other aqueous solutions. The specific activity was determined by the dose-dependent cytotoxicity of the human TF-1 cell line (human erythroleukemic indicator cell line) and is typically 0.1-0.4ng/ml.

