## **∗** abeomics

## 32-1369: mIL 1 beta His Recombinant Protein

Alternative NameCatabolin,Lymphocyte-activating factor (LAF),Endogenous Pyrogen (EP),Leukocyte Endogenous:Mediator (LEM),Mononuclear Cell Factor (MCF),IL1F2,IL-1 beta,Interleukin-1 beta.

## Description

Source : Escherichia Coli. Interleukin-1 beta Mouse Recombinant produced in E.Coli is a non-glycosylated, Polypeptide chain containing 189 amino acids and having a molecular mass of 21 kDa. The IL-1b is fused to His-Tag and purified by proprietary chromatographic techniques. Interleukin-1b is produced by activated macrophages, IL-1B stimulates thymocyte proliferation by inducing il-2 release, b-cell maturation and proliferation, and fibroblast growth factor activity. IL1B proteins are involved in the inflammatory response, being identified as endogenous pyrogens, and are reported to stimulate the release of prostaglandin and collagenase from synovial cells. IL-1b is an inflammatory cytokine which modulates angiogenesis by interacting directly with vascular endothelial cells & increasing the production of proangiogenic factors through paracrine control. IL-1 beta stimulates endothelial cell migration and proliferation, adhesion-molecule expression, inflammatory mediator production, and leukocyte recruitment. IL1B is essential for tumor growth, metastasis, and angiogenesis in quite a few animal models.

## **Product Info**

Amount : Purification : Content :	25 μg Greater than 90.0% as determined by SDS-PAGE. The IL-1B protein contains 20mM Tris pH-8 and 10% glycerol.
Storage condition :	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Avoid multiple freeze-thaw cycles.
Amino Acid :	MRGSHHHHHH GMASMTGGQQ MGRDLYDDDD KDRWGSMVPI RQLHYRLRDE QQKSLVLSDP YELKALHLNG QNINQQVIFS MSFVQGEPSN DKIPVALGLK GKNLYLSCVM KDGTPTLQLE SVDPKQYPKK KMEKRFVFNK IEVKSKVEFE SAEFPNWYIS TSQAEHKPVF LGNNSGQDII DFTMESVSS.

