

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

10-3021-P: Monoclonal Antibody to TLR4 (Clone: HTA125) PE Conjugated

Clonality: Monoclonal **Clone Name:** HTA125 Application: FACS Reactivity: Human Conjugate: PΕ Gene: TLR4 Gene ID: 7099 **Uniprot ID:** 000206 Format: **Purified Alternative Name:** TLR4

Isotype: Mouse IgG2a, kappa

Immunogen Information: This antibody was developed by immunizing mice with Ba/F3 cell line expressing human TLR4

cell surface antigen.

Description

TLR4 (Toll-like receptor-4) is a member of the Toll-like receptor (TLR) family which plays a fundamental role in pathogen recognition and activation of innate immunity. It primarily mediates cellular signaling induced by Gram negative bacteria. TLR4 is highly specific for LPS and it is associated with CD14, a coreceptor for LPS. The downstream signaling pathway of TLR4 leads to the activation of NF-kappaB through myeloid differentiation protein (MyD88) and IL-1 receptor-associated kinase in various cell types. Keratinocytes express TLR4 at the mRNA and protein levels whereas TLR4 are also present in the normal human epidermis in vivo and their expression is regulated by microbial components. TLR4 is expressed on CD4+ T cells as well, the functional significance of which is unclear.

Product Info

Amount: 25 Test / 100 Test

Purification: Protein G Chromatography

Content: 0.04 mg/ml in PBS with 0.05% Azide.

Storage condition : Store the antibody at 4°C, stable for 6 months.

Application Note

FACS analysis: 1-2 μ g/10^6



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Fig-1:Intracellular flow analysis of hTLR4 PE conjugated antibody in hPBMC (Monocytes) using 1 μ g/10^6 cells of hTLR4 antibody (Clone: HTA125). Green represents isotype control; red represents anti-hTLR4 PE conjugated antibody.