

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 10-4090: Monoclonal Antibody to CD4 (Clone: RPA-T4)

Clonality: Monoclonal Clone Name: RPA-T4 **FACS** Application: Reactivity: Human Gene: CD4 Gene ID: 920 **Uniprot ID:** P01730 **Purified** Format: **Alternative Name:** CD4

**Isotype:** Mouse IgG1 Kappa

Immunogen Information: PHA-stimulated human PBMC.

## **Description**

CD4 is a 51 kDa membrane glycoprotein that is expressed on subsets of thymocytes and mature T lymphocytes where it works as co-receptor for T-cell receptor and interacts with MHC Class II processed antigens. CD4 is also expressed on surface of monocytes, macrophages and dendritic cells. CD4 also regulates T-cell activation and differention. CD4 is identified as the cellular receptor for HIV and several other viral infections. CD4 is highly expressed in thymus, spleen and lymphocyte.

## **Product Info**

**Amount :**  $25 \mu g / 100 \mu g$ 

**Purification:** Protein G Chromatography

**Content:** 25 μg in 50 μl/100 μg in 200 μl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium

azide is highly toxic.

**Storage condition :** Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid

repeated freeze and thaw cycles.

## **Application Note**

FACS analysis: 0.5 μg/10<sup>6</sup> cells




Fig-1: Cell Surface flow analysis of hCD4 in PBMC (Lymphocytes) using  $0.5 \mu g/10^6$  cells. Green represents isotype control (ABEOMICS); red represents anti-hCD4 antibody (10-4090). Goat anti-mouse PE conjugated secondary antibody (ABEOMICS) was used.