

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-3174: AIP Recombinant Protein

Alternative Name AH receptor-interacting protein, AIP, Aryl-hydrocarbon receptor-interacting protein, HBV X-associated protein 2,XAP-2,Immunophilin homolog ARA9,XAP2,ARA9,FKBP16,FKBP37,SMTPHN.

Description

Source: Escherichia Coli. AIP Human Recombinant produced in E.Coli is a single, non-glycosylated polypeptide chain containing 350 amino acids (1-330 a.a.) and having a molecular mass of 39.8kDa,AIP is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques. Aryl hydrocarbon receptor (AHR) interacting protein (AIP) may have a positive role in AHR-mediated (aromatic hydrocarbon receptor) signaling, probably by influencing its receptivity for ligand and/or its nuclear targeting. AIP is a Cellular negative regulator of the hepatitis B virus (HBV) X protein. Furthermore, AIP is a ubiquitously expressed protein, which binds to HSP 90 and AHR through a highly conserved carboxyterminal tetraticopeptide repeat domain.

Product Info

Amount: 20 μα

Purification: Greater than 90.0% as determined by SDS-PAGE.

AIP protein solution (1mg/ml) containing 20mM Tris-HCl buffer (pH 8.0), 1mM DTT and 10% Content:

glycerol.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods Storage condition:

of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or

BSA). Avoid multiple freeze-thaw cycles.

Amino Acid: MGSSHHHHHH SSGLVPRGSH MADIIARLRE DGIQKRVIQE GRGELPDFQD GTKATFHYRT LHSDDEGTVL

DDSRARGKPM ELIIGKKFKL PVWETIVCTM REGEIAOFLC DIKHVVLYPL VAKSLRNIAV GKDPLEGORH

CCGVAQMREH SSLGHADLDA LQQNPOPLIF HMEMLKVESP GTYQQDPWAM TDEEKAKAVP

LIHQEGNRLY REGHVKEAAA KYYDAIACLK NLQMKEQPGS PEWIQLDKQI TPLLLNYCQC KLVVEEYYEV LDHCSSILNK YDDNVKAYFK RGKAHAAVWN AQEAQADFAK VLELDPALAP VVSRELRALE ARIRQKDEED

KARFRGIFSH.

