

## 32-4531: Recombinant Human Proteasome Assembly Chaperone 3

**Alternative Name :** Proteasome assembly chaperone 3,PAC-3,hPAC3,PSMG3,PAC3,C7orf48,MGC10911.

### Description

Source : Escherichia Coli. PSMG3 Human Recombinant fused with a 20 amino acid His tag at N-terminus produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 142 amino acids (1-122 a.a.) and having a molecular mass of 15.2kDa. The PSMG3 is purified by proprietary chromatographic techniques. PSMG3 is a chaperone protein that promotes assembly of the 20S proteasome. PSMG3 may cooperate with PSMG1-PSMG2 heterodimers to coordinate the correct assembly of proteasomes. PSMG3 interacts with PSMG4, as well as directly with alpha and beta subunits of the 20S proteasome but dissociates prior to the formation of half-proteasomes, probably upon recruitment of POMP.

### Product Info

|                            |   |
|----------------------------|---|
| <b>Amount :</b>            | 5 µg  |
| <b>Purification :</b>      | Greater than 90.0% as determined by SDS-PAGE.   |
| <b>Content :</b>           | The PSMG3 solution (0.5 mg/ml) contains 20mM Tris-HCl Buffer (pH 8.0) and 10% Glycerol.   |
| <b>Storage condition :</b> | PSMG3 should be stored desiccated below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles. |
| <b>Amino Acid :</b>        | MGSSHHHHHH SSSLVPRGSH MEDTPLVSK QKTEVVCVGP TQVVCTAFSS HILVVVTQFG KMGTLVSLEP<br>SSVASDVSKP VLTTKVLLGQ DEPLIHVFAK NLVAFVSQEA GNRAVLLAVA VKDKSMEGLK ALREVIRVCQ<br>VW.    |

