

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 35-1591: Polyclonal Antibody to Merlin (Ab-518)

Clonality: Polyclonal Application: WB,IHC

Human, Mouse, Rat Reactivity:

Gene: NF2 Gene ID: 4771 **Uniprot ID:** P35240 Format: Purified

**Alternative Name:** MERL, NF2, Neurofibromin 2, SCH, Schwannomerlin

Rabbit IgG Isotype:

Immunogen Information: Peptide sequence around aa.516~520 (R-L-S-M-E) derived from Human Merlin.

## **Description**

Probable regulator of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway, a signaling pathway that plays a pivotal role in tumor suppression by restricting proliferation and promoting apoptosis. Along with WWC1 can synergistically induce the phosphorylation of LATS1 and LATS2 and can probably function in the regulation of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway. May act as a membrane stabilizing protein. May inhibit PI3 kinase by binding to AGAP2 and impairing its stimulating activity.

## **Product Info**

Amount:  $50 \mu l / 100 \mu l$ 

Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM Content:

NaCl, 0.02% sodium azide and 50% glycerol.

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

## **Application Note**

Predicted MW: 69kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from Mouse brain tissue and C6 cells using Merlin(Ab-518) Antibody 35-1591.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human lung carcinoma tissue using Merlin(Ab-518) Antibody 35-1591 (left) or the same antibody preincubated with blocking peptide(right).