

35-1684: Polyclonal Antibody to EWS

Clonality :	Polyclonal
Application :	WB
Reactivity :	Human,Mouse,Rat
Uniprot ID :	Q9BZD1
Format :	Purified
Alternative Name :	bK984G1.4, EWSR1
Isotype :	Rabbit IgG
Immunogen Information :	Peptide sequence around aa.213~217(T-Y-G-Q-P)derived from Human EWS.

Description

This gene encodes a multifunctional protein that is involved in various cellular processes, including gene expression, cell signaling, and RNA processing and transport. The protein includes an N-terminal transcriptional activation domain and a C-terminal RNA-binding domain. Chromosomal translocations between this gene and various genes encoding transcription factors result in the production of chimeric proteins that are involved in tumorigenesis. These chimeric proteins usually consist of the N-terminal transcriptional activation domain of this protein fused to the C-terminal DNA-binding domain of the transcription factor protein. Mutations in this gene, specifically a t(11;22)(q24;q12) translocation, are known to cause Ewing sarcoma as well as neuroectodermal and various other tumors. Alternative splicing of this gene results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 1 and 14.

Product Info

Amount :	50 µl / 100 µl
Content :	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage condition :	Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles.

Application Note

Predicted MW: 85kd, Western blotting: 1:500~1:1000




Figure 1: Western blot analysis of extracts from 293 and 3T3 cells using EWS Antibody 35-1684 .