

32-7582: Recombinant Human α -N-Acetylneuraminide α -2,8-Sialyltransferase/ST8SIA1 (C-6His)

Gene : ST8SIA1

Gene ID : 6489

Uniprot ID : Q92185

Description

Source: Human Cells.

MW :36.2kD.

Recombinant Human ST8SIA1 is produced by our Mammalian expression system and the target gene encoding Tyr49-Ser356 is expressed with a 6His tag at the C-terminus. α -N-Acetylneuraminide α -2,8-Sialyltransferase (ST8SIA1) belongs to the glycosyltransferase 29 family. ST8SIA1 is a sialyltransferase that catalyzes the transfer of sialic acid from CMP-sialic acid to GM3 to produce GD3 and GT3. ST8SIA1 is highly expressed in melanoma cell lines, adult and fetal brain, low expressed in adult and fetal lung. ST8SIA1 may act as a type II transmembrane protein with a short N-terminal cytoplasmic domain and a single-pass transmembrane domain followed by an enzymatic domain in the lumen of the Golgi apparatus.

Product Info

Amount : 10 μ g / 50 μ g

Content : Lyophilized from a 0.2 μ m filtered solution of 20mM TrisHCl,150mM NaCl,pH8.0.

Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

Amino Acid : YRLPNEKEIVQGVLLQQGTAWRRNQTAARAFRKQMEDCCDPAHLFAMTKMNSPMGKSMWYDGEFLYSFTIDN
STYSLFPQATPFQLPLKCAVVGNGGILKKSQGRQIDEANFVMRCNLPLSSEYTKDVGSKSQLVTANPSIIRQ
RFQNLWSRKTFFVDNMKIYNHSYIYMPAFSMKTGTEPSLRVYYTSLDVGANQTVLFANPNFLRSIGKFWKSRGI
HAKRLSTGLFLVSAALGLCEEVAIYGFWPFSVNMHEQPISHHYDNLVLPFSGFHAMPEEFLQLWYLHKIGALRM
QLDPCEDTSLQPTSVDHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 μ g/ml. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/ μ g (1 IEU/ μ g) as determined by LAL test.