

## 32-8939: Recombinant Cynomolgus TIM-3/HAVCR2 (C-Fc)(Discontinued)

**Gene :** EGM\_15593

**Uniprot ID :** G7P6Q7

### Description

Source: E. coli.

MW :46.3kD.

Recombinant Cynomolgus T Cell Immunoglobulin and Mucin Domain-3 is produced by our Mammalian expression system and the target gene encoding Ser22-Arg201 is expressed with a Fc tag at the C-terminus. T cell immunoglobulin and mucin domain 3 is a member of the TIM family of immune regulating molecules. Mature cynomolgus TIM3 consists of a 182 amino acid (aa) extracellular domain (ECD), a 21 aa transmembrane segment, and a 78 aa cytoplasmic tail. TIM3 is up-regulated on several populations of activated myeloid cells (macrophage, monocyte, dendritic cell, microglia, mast cell) and T cells (Th1, CD8+, NK, Treg). Its binding to Galectin9 induces a range of immunosuppressive functions which enhance immune tolerance and inhibit anti-tumor immunity. TIM3 ligation attenuates CD8+ and Th1 cell responses and promotes the activity of Treg and myeloid derived suppressor cells. TIM3 interactions with Galectin-9 can trigger immune stimulatory effects, such as the coactivation of NK cell cytotoxicity.

### Product Info

**Amount :** 10 µg / 50 µg

**Content :** Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.

**Storage condition :** Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

**Amino Acid :** SEVEYIAEVGQNAYLPCSYPAPPGNLVPVCWKGKACPVFDCSNVLRDNRDVNDRTSGRYWLKGFHKGD  
VSLTIENVTLADSGVYCCRIQIPGIMNDEKHNVKLVVPAKVTAPATLQRDLTSAFPRMLTTGEHGAETQTPGS  
LPDVNLTVSNFFCELQIFLTNLRDSGATIRIEGRMDPKSCDKTHTCPPCPAPPELLGGPSVFLFPPKPKDTLMIS  
RTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNK  
ALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSD  
GSFFLYSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKLSLSLSPGK

### Application Note

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.