

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-1768: Anti-CD25 / IL-2R alpha chain Monoclonal Antibody (Clone:PC61.5)-APC Conjugated(Discontinued)

Clonality: Monoclonal Clone Name: PC61.5

Application: FACS, IP, IHC-Fr, Functional Assay

Reactivity: Mouse
Conjugate: APC
Gene: II2ra
Gene ID: 16184
Uniprot ID: P01590
Alternative Name: II2ra,II2r
Isotype: Rat IgG1

Immunogen Information: B6.1 CTL cell line

Description

CD25 (IL2Ralpha, Tac) is a ligand-binding alpha subunit of interleukin 2 receptor (IL2R). Together with beta and gamma subunit CD25 constitues the high affinity IL2R, whereas CD25 alone serves as the low affinity IL2R. CD25 expression rapidly increases upon T cell activation. The 55 kDa CD25 molecule is enzymatically cleaved and shed from the cell surface as a soluble 45 kDa s-Tac, whose concentration in serum can be used as a marker of T cell activation. Expression of CD25 indicates the neoplastic phenotype of mast cells. CD25+ CD4+ FoxP3+ regulatory cells (Treg cells) play a crucial role in the control of organ-specific autoimmune diseases.

Product Info

Amount: 0.1 mg

Storage condition : Store in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light.




Figure 1: Surface staining of CD25 in PHA activated (3 days) murine splenocytes using anti-CD25 (PC61.5) APC.