

## 30-1878: Anti-CD38 Monoclonal Antibody (Clone:HIT2)-Biotin Conjugated

|                                |                            |
|--------------------------------|----------------------------|
| <b>Clonality :</b>             | Monoclonal                 |
| <b>Clone Name :</b>            | HIT2                       |
| <b>Application :</b>           | FACS                       |
| <b>Reactivity :</b>            | Human                      |
| <b>Conjugate :</b>             | Biotin                     |
| <b>Gene :</b>                  | CD38                       |
| <b>Gene ID :</b>               | 952                        |
| <b>Uniprot ID :</b>            | P28907                     |
| <b>Alternative Name :</b>      | CD38                       |
| <b>Isotype :</b>               | Mouse IgG1                 |
| <b>Immunogen Information :</b> | Human thymocytes in foetus |

### Description

CD38 (NAD<sup>+</sup> glycohydrolase) is a type II transmembrane glycoprotein able to induce activation, proliferation and differentiation of mature lymphocytes and mediate apoptosis of myeloid and lymphoid progenitor cells. Another role of CD38 is provided by enzymatic activity of its extracellular part. CD38 acts as NAD<sup>+</sup> glycohydrolase converting NAD<sup>+</sup> into ADP-ribose, as ADP-ribosyl cyclase producing cADPR and as cADPR hydrolase, thus affecting levels of calcium-mobilizing metabolites. ADPR produced by CD38 serves as an important second messenger of neutrophil and dendritic cell migration.

### Product Info

|                            |   |
|----------------------------|---|
| <b>Amount :</b>            | 0.1 mg  |
| <b>Content :</b>           | 1mg/ml, Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |
| <b>Storage condition :</b> | Store at 2-8°C. Do not freeze.                                      |

### Application Note

Flow cytometry: Recommended dilution: 1-4 µg/ml




Figure 1: Surface staining of human peripheral blood with anti-human CD38 (HIT2) biotin / streptavidin-APC.