# **₩** abeomics

## 36-2696: Anti-CD171 / NCAM-L1 (Axonal Marker) Monoclonal Antibody(Clone: UJ127)

Clonality :	Monoclonal
Clone Name :	UJ127
Application :	ELISA
Reactivity :	Human
Gene :	L1CAM
Gene ID :	3897
Uniprot ID :	P32004
Alternative Name :	CAML1, HSAS1, Hyd, L1 Cell Adhesion Molecule, L1-NCAM, MASA, MIC5, NCAM-L1, Nerve- growth factor-inducible large external glycoprotein, Neural cell adhesion molecule L1, NILE, S10, SPG1
Isotype :	Mouse IgG1, kappa
Immunogen Information	: Homogenous suspension of 16-week human fetal brain

#### Description

Recognizes a cell surface protein of 220-240kDa, identified as L1 cell adhesion molecule. The L1CAM gene, which is located in Xq28, is involved in three distinct conditions: 1) HSAS (hydrocephalus-stenosis of the aqueduct of Sylvius); 2) MASA (mental retardation, aphasia, shuffling gait, and adducted thumbs); and 3) SPG1 (spastic paraplegia). The L1, neural cell adhesion molecule (L1CAM) also plays an important role in axon growth, fasciculation, and neural migration as well as in mediating neuronal differentiation. Expression of L1 protein is restricted to tissues arising from neuroectoderm. This MAb is useful in the identification of primitive neuroectodermal tumors. It binds to tumors of neuroectodermal and glial origin e.g. neuroblastoma and Schwannomas. It does not bind to pediatric or adult brain.

#### **Product Info**

Amount :	20 μg / 100 μg
Content :	200 μg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Storage condition :	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous.

### **Application Note**

ELISA (For coating, order antibody without BSA);

	NR	R	
250→			
150→	-		
100→			
75→			
50→		-	2ug loading NR=Non- reduced
37→			R=reduced
25→ 20→		_	
15→			
10→			

Fig. 1: SDS-PAGE Analysis Purified CD171 Mouse Monoclonal Antibody (UJ127). Confirmation of Integrity and Purity of Antibody.

For Research Use Only. Not for use in diagnostic/therapeutics procedures.