

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 36-2993: Anti-Calcineurin A / PPP3CA Monoclonal Antibody(Clone: BF1.1)

Clonality: Monoclonal Clone Name: BF1.1 Application: ELISA.WB Reactivity: Human Gene: PPP3CA Gene ID: 5530 **Uniprot ID:** 008209

Calcineurin A alpha; Calcineurin A1; Calcineurin A; Calmodulin-dependent calcineurin A

subunit alpha isoform; CALN; CALNA1; CAM-PRP catalytic subunit; CCN1; CNA alpha; CNA1; **Alternative Name:** Ppp3ca; Protein phosphatase 2B catalytic subunit (PPP2B); Protein phosphatase 3 (formerly

2B) catalytic subunit alpha isoform (PPP3CA)

Isotype: Mouse IgG1, kappa

Immunogen Information: Recombinant full-length Calcineurin A protein

## **Description**

Calcineurin is an enzyme that dephosphorylates serine and threonine residues in proteins. It is a heterodimer of a 59kDa catalytic A subunit and a 19kDa regulatory B subunit that is activated by the binding of calcium ions and calmodulin. Calcineurin is expressed in many tissues, but its levels are highest in the brain, where it may play a role in learning and memory. It has many substrates, including NFAT, a transcription factor that is activated by dephosphorylation. Complexes of the immuno-suppressants cyclosporine and FK506 with immunophilin proteins such as cyclophilin and FKBP12 are potent and specific inhibitors of Calcineurin activity. Alterations in Calcineurin activity are suspected to play a role in cardiac hypertrophy and graft versus host disease in organ transplantation.

## **Product Info**

Amount:  $20 \mu g / 100 \mu g$ 

200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS Content:

with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody Storage condition:

is stable for 24 months. Non-hazardous.

## **Application Note**

ELISA (For coating, order antibody without BSA); Western Blot (1-2ug/ml);