

## 37-1600: PLA2G1B Recombinant Protein (C-term, His Tag)(Discontinued)

<b>Gene :</b>	Human PLA2G1B (NP_000919)
<b>Alternative Name :</b>	Phospholipase A2, EC 3.1.1.4, Phosphatidylcholine 2-acylhydrolase, Group IB phospholipase A2, PLA2, PLA2A, PPLA2, sPLA2-IB, MGC119834, MGC119835, PLA2G1B.
<b>Immunogen Information :</b>	The Recombinant human PLA2G1B is 144 amino acids after removal of signal peptide. It has predicted molecular mass of 16.2 kDa. This protein migrates around 19 kDa band in SDS-PAGE under reducing condition.

### Description

Source : HEK293 Cells. Phospholipase A2, also known as Phosphatidylcholine 2-acylhydrolase 1B, Group IB phospholipase A2, PLA2 and PLA2G1B, is a secreted protein which belongs to the phospholipase A2 family. Phospholipase A2 / PLA2G1B catalyzes the release of fatty acids from glycerol-3-phosphocholines. The best known varieties are the digestive enzymes secreted as zymogens by the pancreas of mammals. Sequences of pancreatic Phospholipase A2 / PLA2G1B enzymes from a variety of mammals have been reported. One striking feature of these enzymes is their close homology to venom phospholipases of snakes. Other forms of Phospholipase A2 / PLA2G1B have been isolated from brain, liver, lung, spleen, intestine, macrophages, leukocytes, erythrocytes, inflammatory exudates, chondrocytes, and platelets. Mice lacking in Phospholipase A2 / PLA2G1B are resistant to obesity and diabetes induced by feeding a diabetogenic high-fat/high-carbohydrate diet. Oral supplementation of a diabetogenic diet with the PLA2G1B inhibitor methyl indoxam effectively suppresses diet-induced obesity and diabetes. PLA2G1B inhibition may be a potentially effective oral therapeutic option for treatment of obesity and diabetes.

### Product Info

<b>Amount :</b>	10 µg
<b>Purification :</b>	Greater than 95% as determined by SDS-PAGE.
<b>Content :</b>	Lyophilized from sterile 10mM Tris, 5mM CaCl <sub>2</sub> , pH 8.0. Normally 5% - 8% trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
<b>Storage condition :</b>	Store lyophilized protein at -20°C to -80°C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles.
<b>Amino Acid :</b>	MAVWQ FRKMIKCVIP GSDPFLEYNN YGCYGLGGS GTPVDELDKC CQTHDNCYDQ AKKLDSCFKL LDNPYTHYYS YSCSGSAITC SSKNKECEAF ICNCDRNAAI CFSKAPYNKA HKNLDTKKYC QSHHHHHH.




Fig. 1.: PLA2G1B Recombinant Protein was run on a 4-20% SDS-PAGE gel followed by Coomassie blue staining.