

32-18254: Human IL4RA Protein, mFc Tag

Uniprot ID : P24394

Alternative Name : CD124;IL-4RA;IL4RA

Description

Description : Recombinant Human IL4RA with C-terminal mouse Fc tag

Background : This gene encodes the alpha chain of the interleukin-4 receptor, a type I transmembrane protein that can bind interleukin 4 and interleukin 13 to regulate IgE production. The encoded protein also can bind interleukin 4 to promote differentiation of Th2 cells. A soluble form of the encoded protein can be produced by proteolysis of the membrane-bound protein, and this soluble form can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells. Allelic variations in this gene have been associated with atopy, a condition that can manifest itself as allergic rhinitis, sinusitis, asthma, or eczema. Polymorphisms in this gene are also associated with resistance to human immunodeficiency virus type-1 infection. Alternate splicing results in multiple transcript variants.

Molecular Characterization: mass of 49.8 kDa after removal of the signal peptide. The apparent molecular mass of IL4RA-mFc is approximately 70-100 kDa due to glycosylation.

Tag : C-Mouse Fc Tag

Product Info

Amount : 50 µg / 100 µg

Purification : The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Content : Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization.

Storage condition : Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human IL4RA Protein, mFc Tag on SDS-PAGE under reducing condition.




Figure 2. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human IL4RA Protein, mFc Tag can bind Anti-IL4RA antibody(DMC284), IgG1 Chimeric mAb in a linear range of 16.0-400 ng/mL.